IEI Quick Mounting Technology

100mm
75mm
100mm
75mm

Compliant with VESA Mounting Standards

IEI panel solutions have four mounting holes compliant with the VESA (Video Electronics Standards Association) mounting standard (75mm x 75mm/100mm x 100mm) on the rear panel for stand mounting and other mounting methods.

» Stand Mounting

### ● VESA 75/100 Universal Stand

Cable Management

STAND-A21-R10

Portrait/Landscape

Height Adjustment (13 cm)

Right/Left Pan (360°)

Forward/Backward Tilt (+25°/-5°)

SWIVEL:360°

252

100
75
100
75

Max.375 Min.245

432.(H)

222(W)

226

252.(D)

-5°~25°

## *Ordering Information*

Part No.	Description
STAND-A21-R10	15"~21" VESA 75x75 mm/100x100 mm PPC/Monitor Stand, support from 6 KG to ~12 KG, Black, RoHS

STAND-210

Ordering Information

Part No.	Description
STAND-210-R11	• Support VESA 75/100 standard • Weight capacity from 7kg~10kg

● VESA 75/100 Easy Stand

STAND-C12-R10

STAND-C19-R10

Tilt Forward/Backward

Ordering Information

| Part No.	Description
STAND-C12-R10	5.7" ~ 12.1" VESA 100x100mm, 75x75mm PPC/Monitor Stand, support up to 7.5kg, Black color, RoHS
STAND-C19-R10	15"~19" VESA 100x100mm, 75x75mm PPC/Monitor Stand, support up to 15kg, Blackcolor, RoHS

DIN Rail Kit

Model Name	DK-75-R10	DK-100-R10
Specification	850 mm (W) x 75mm (D)	110 mm (W) x 100 mm (D)
Description	VESA 75 to DIN-rail kit	VESA 100 to DIN-rail kit

V-STAND

VESA Multi-Mounting Stand

IEI patented multi-mounting V-Stand allows wall, ceiling, desk, rear and side mounting to meet diverse applications. Its 0° to 90° adjustable hinge design provides optimal viewing in various environments, such as kitchen, room or shelf.

0° to 90° adjustable hinge design

Height adjustable and VESA 75/100 compliant mounting holes

Heat dissipation holes help to cool down the system

Features:
- 0º to 90º adjustable hinge design allows comfortable viewing
- Standard VESA 75/100 compliance
- Heat dissipation holes
- Compact size, easy to use for mounting anywhere

VSTAND-A07
(For 5.6"~7" AFL series)

VSTAND-A10
(For 8.4"~10.4" AFL series)

VSTAND-A12
(For 12.1" AFL series)

VESA	Model
75 x 75mm	VSTAND-A07-R11
75 x 75mm / 100 x 100mm	VSTAND-A10-R11
	VSTAND-A12-R11

A. One fits all solution

The V-Stand is a compact and tilt adjustable mounting stand providing mobility and ergonomic comfort to fit common wall mounting and ceiling mounting situations.

Wall Mounting

Ceiling Mounting

B. 0º to 90º excellent adjustability

You can change the angle of the stand from 0° to 90° to reach almost any point with ergonomic features for comfortable viewing.

POS System

Self-ordering System

Compact size provides mobility

C. Space saving and easy installation

1: Tighten the screws in the rear of the AFOLUX PPC VESA mounting holes

2: Select the position to mount stand kit

3: Plug in the system to operate

**VSTAND-A07**　　　**VSTAND-A10**　　　**VSTAND-A12**

Ordering Information

| Part No.	Description
STAND-A07-R12	LCD MONITOR/PPC STAND V type,FOR AFL SERIES, VESA 75,0~90 degree adjustable hinge, SUPPORT UP TO 2.5KG, Powder paint, RoHS
VSTAND-A10-R12	LCD MONITOR/PPC STAND V type,FOR AFL SERIES, VESA 75/100,0~90 degree adjustable hinge, SUPPORT UP TO 3KG, Powder paint, RoHS
VSTAND-A12-R12	LCD MONITOR/PPC STAND V type,FOR AFL SERIES, VESA 75/100,0~90 degree adjustable hinge, SUPPORT UP TO 3.5KG, Powder paint, RoHS

» ARM

VESA 75/100 Desk ARM

VESA	Model
75x75mm/100x100mm	ARM-11-RS
	ARM-31-RS

ARM-11-RS　　　**ARM-31-RS**

Ordering Information

Part No.	Description
ARM-11-RS	LCD Monitor / PPC ARM, VESA 75/100, 3kg~6kg, RoHS
ARM-31-RS	LCD Monitor / PPC ARM, VESA 75/100, 7kg~14kg, RoHS

» Wall Mounting

VESA 75/100 Wall Mounting

VESA	Model
75x75mm/100x100mm	AFLWK-12
	AFLWK-19B

Secure the panel by fastening the retention screw of the bracket.

AFLWK-12　　　**AFLWK-19B**

Ordering Information

Part No.	Description
AFLWK-12	5.6"~12" VESA 75x75mm PPC/Monitor Wall Mount Kit with Retention Screw, Silver color, RoHS
AFLWK-19B	15"~19" VESA 100x100mm PPC/Monitor Wall Mount Kit with Retention Screw, Silver color, RoHS